



THE PREMIUM RAIL ON THE MARKET TODAY

AisleGuard ribbed barrier guardrails. All welded LIFT-OUT design standard, which reduces installation cost by half

- Protection for structural platforms, in-plant offices, conveyors, water mains, valuable equipment, and personnel.
- Quick Ship program
- Easy installation with all hardware included.
- Rails are constructed of 10 gauge high-tensile steel.
- 5" posts have a 10" x 10" x 5/8" base plate with a 12,000 lb at 5 mph impact rating.
- Installs in half the time. No hardware needed!!
- Sleeves are welded directly to the posts. No costly brackets as an afterthought.
- Posts are available in heights of 18" (single high rail) & 42" (double guardrail)
- Rails are available in 2' through 10' in 1' increments.
- Rails measure center to center of post. 5" posts add 1 inch to every section of rail.

MODEL DESCRIPTION

CPS 18" Corner Post-Single Rail Application

IPS 18" Inline Post-Single Rail Application

EPS 18" End Post-Single Rail Application

CPD 42" Corner Post-Double Rail Application

IPD 42" Inline Post- Double Rail Application

EPD 42" End Post- Double Rail Application

R10 Rail for 10' section

R9 Rail for 9' section

R8 Rail for 8' section

R7 Rail for 7' section

R6 Rail for 6' section

R5 Rail for 5' section

R4 Rail for 4' section

R3 Rail for 3' section

R2 Rail for 2' section

*Actual rail length is 5" shorter than the length listed. Posts lie on even foot centers.